


About colonoscopy

Your doctor has recommended that you have a colonoscopy. This leaflet tells you what to expect. Please ask staff any other questions you may have.



What is a colonoscopy?
Colonoscopy is a test that allows the doctor to examine your large bowel with a fine flexible telescope. This test will review your bowel from the rectum to the cecum and the end of your small intestine called the terminal

Why am I having the procedure?

ileum

Your doctor may have referred you for a colonoscopy in order to investigate some symptoms you have been having, such as a change in bowel habit, rectal bleeding; or to review a

problem they may have found before, like polyps or colitis. This will benefit you by providing a clear diagnosis. If you prefer not to be investigated, we advise you to discuss the implications with your doctor.

There are other methods of examining the colon, such as a barium enema or a CT scan. Although colonoscopy is less likely to succeed than these methods (approximately 90 % vs. 98% success rate respectively), it does allow biopsies to be taken and procedures such as the removal of polyps to be performed. If the colonoscopy does not succeed, the doctor may recommend that you have a barium enema or CT scan so that a complete examination of the colon has occurred. If you wish, discuss with your doctor which is the best test for you.

What preparation will I need?

When you book your appointment, the reception staff will give you some preparation to take the day before your colonoscopy. The preparation may come in sachets or bottle form, and works as a powerful laxative to make your bowel completely clean. This allows the doctor to have a clear view of your bowel. We will give you instructions with the bowel preparation. You will not be allowed to eat any food for up to 24 hours before your procedure.

However you must drink lots of clear fluids, stopping 3 hours before the procedure. It is of great importance that this preparation works, or the test will not be possible.

What should I bring on the day?

Please bring all your medication and a dressing gown.

What about my medications?

If you are taking iron tablets, please stop them 7 days before your test.

If you are taking anti-inflammatory tablets (such as neurofen, brufen or voltarol) please stop taking them 5 days before your test.

Do not stop taking aspirin, clopidogrel or warfarin but please make sure that you have discussed this with your referring doctor before the test. There is a significant risk that a coronary stent will block if these medicines are stopped within one month of stent placement; and a slightly increased risk within the first six months. If the referring doctor thinks it is in your best interests to stop taking them, they should be stopped 10 days before the colonoscopy.

If you are a diabetic, please let the unit know. We will give you more detailed information about your preparation.

Women taking the oral contraceptive pill should be aware that taking bowel preparation might prevent the absorption of the pill. Additional contraceptive precautions should be taken until the next period begins.

What happens on the day of the test?

Please book in with the endoscopy reception staff when you arrive. *Please do not have anything to drink for 3 hours before you arrive.* They check your personal details, such as your name and address. We try to ensure that all patients are seen and have their tests within a short period of time of arriving in the unit, but occasionally emergencies take precedence and you may need to wait. The reception staff will keep you informed in the event that this happens.

Next, the doctor (endoscopist) who will be doing the procedure talks you through the consent form and the potential complications. It is important for you to think about these in advance so when you sign the form you are comfortable that it is a test you really want. Remember, you can change your mind about having the test at any time. Please tell the doctor if you have heart valve disease or if you are normally given antibiotics when you visit the dentist.

One of the endoscopy nurses then sees you, asks you some further questions, checks you have taken your preparation correctly and answers any questions you may have. Then the nurse asks you to get changed into a gown and shows you into the endoscopy room.

The doctor or nurse puts a small needle into the back of your hand. This is to give you sedation and painkillers. These drugs are used together to reduce your discomfort and make you a little sleepy. This is not a general anaesthetic.

Once the medications have taken effect the doctor inserts a flexible tube (the endoscope) with a light on the end of it into your back passage. It is thinner than an index finger. Your bowel is inflated with air, and you may experience some bloating and discomfort. The tube is slowly moved along your colon whilst the doctor gets a good look at the wall of the bowel. The tube travels right around the colon to the cecum. The test can usually takes 20 – 30 minutes.

During the test the doctor may take biopsies (tissue samples), photographs or video of your bowel, even if it all looks normal. There may be periods of discomfort as the tube goes around bends in the bowel. Usually these will ease once the bend has been passed. If you are finding the procedure more uncomfortable than you would like, please let the nurse know and you can be given some more sedative or painkiller. In order to make the procedure easier you may be asked to change position (for example, to roll onto your back).

There will be a nurse with you throughout the procedure explaining what is happening, monitoring your vital signs, level of comfort and assisting the doctor.

What happens if a polyp is found?

One of the aims of colonoscopy is to detect polyps. Polyps are very small growths that can occur on the bowel wall. Some are perfectly innocent, but others can develop into bowel cancer if they are not removed. Consequently, polyps are removed, which most of the time is entirely safe. This is termed a polypectomy. In addition, sometimes thermal coagulation is used to destroy polyps or abnormal blood vessels.

What are the complications of colonoscopy?

Complications are rare, but it is important that you know all the risks before you decide to go ahead with the test.

Minor complications

Despite using sedation and pain killers some patients can experience abdominal discomfort or pain.

In approximately 1 in 10 patients the procedure is difficult and the doctor finds it impossible to look right around the bowel. If this happens the doctor may organise another test.

Major complications

There is a very small risk of making a hole in the bowel wall (a perforation). This occurs in approximately 1 in 800 examinations. Perforations usually need to be repaired with an operation, and might require a temporary stoma (a surgical constructed opening, that permits the passage of waste).

If the doctor removes a polyp, then the risk of perforation, though still rare, increases slightly to about 1 in 600 occasions.

Bleeding from the rectum occurs in about 1 in 1500 cases, although if a polyp is removed it occurs in between 1 in 50 and 1 in 100 cases. It usually stops without any treatment but can occasionally need an operation to repair the area.

Using sedation can cause breathing complications in 1 in 200 procedures, which usually are not serious. To reduce this risk, we monitor your pulse and oxygen levels throughout the test.

If you have severe pain, black tarry stools or persistent bleeding, you should contact your nearest A&E Department for further advice and also inform us.

What happens after the test?

You are moved into the recovery area where a nurse monitors you for 1-2 hours whilst you sleep off the sedation. You may then eat and drink normally. You may feel a little discomfort due to the air in your abdomen - this is normal.

If you are going home the same day you must arrange for someone to escort you home. Be aware that parking at the hospital is very limited. If no escort is available, please bring enough money to pay for a taxi. No escort is required if you are using hospital transport.

We strongly advise that you do not drink alcohol, operate machinery, drive or make important decisions for 24 hours after your procedure as sedatives can impair your judgement.

You can resume normal activities, work etc the following day.

How will I get the results?

The endoscopist will be able to tell you the results after the procedure. If you had sedation, it is a good idea to have someone with you when this occurs because the sedation can make you forget what is discussed. If biopsies were taken or polyps removed, you will be told the final diagnosis by the team who requested the colonoscopy (in the clinic or by letter to you or your GP). These results may take several weeks to come through. Copies of your colonoscopy report will be sent to your GP.

Further information

Training doctors and other health professionals is essential to the continuation of the NHS, and improving the quality of care. Your treatment may provide an important opportunity for such training under the careful supervision of a senior doctor. You can, however, decline to be involved in the formal training of medical and other students - this won't affect your care and treatment.

Any other questions?

Feel free to write down any other questions you may have. No question is ever too minor or too silly to ask, so please ask any member of the team caring for you if there is anything you wish to know.

If you have any problem understanding or reading any of this information, please contact the Endoscopy Unit staff on 020 7794 0500 ext. 31642, or fax 020 7472 2592, or e-mail <endoscopy@royalfree.nhs.uk>.

Patient agreement to investigate Patient identifier/label	Special requirements		
	Responsible health professional		
Name of proposed procedure			
(include brief explanation if medical term	n not clear)		
Colonoscopy ± Polypectomy ± Biopsy			
Statement of health profession appropriate knowledge of proposed pro-			
I have explained the procedure to the pa	atient. In particular, I have explain	ned:	
The intended benefits: Diagnosis			
Serious or frequently occurring risks			
Overall the risk of a perforation is ab polypectomy is performed, the risk of bleeding about 1 in 50 to 1 in 100, all breathing problems in about 1 in 200	a perforation is about 1 in 600 though this is usually mild. Sec	but the risk of dation causes	
Any extra procedures which may become	ne necessary during the procedur	е	
X blood transfusion			
X other procedure (please specify) O	peration (occasionally a tem	porary stoma)	
I have also discussed what the procedu available alternative treatments (includir patient.	re is likely to involve, the benefits	and risks of any	
The appropriate Royal Free Hospital	endoscopy leaflet has been pro	ovided	
This procedure will involve:			
general and/or regional anaesthesia	local anaesthesia	sedation	
Signed:	Date	******	
Name (PRINT)			
Guidance to health professionals is a	wailable within the endoscopy	manual	
Contact details (if patient wishes to disc	uss options later)		
Statement of interpreter (where appropriate interpreted the information above which I believe s/he can understand. Signed	to the patient to the best of my a	682 37	
57/			
Name (PRINT)		*******	
Copy accepted by patient: yes	/ no (please ring)		

Statement of patient

Please read this form carefully. If your treatment has been planned in advance, you should already have your own copy of page 1 and 2 which describes the benefits and risks of the proposed treatment. If not, you will be offered a copy now. If you have any further questions, do ask – we are here to help you. You have the right to change your mind at any time, including after you have signed this form.

I agree to the procedure or course of treatment described on this form.

I understand that you cannot give me a guarantee that a particular person will perform the procedure. The person will, however, have appropriate experience.

I understand that I will have the opportunity to discuss the details of anaesthesia with an anaesthetist before the procedure, unless the urgency of my situation prevents this. (This only applies to patients having general or regional anaesthesia.)

I understand that any procedure in addition to those described on this form will only be carried out if it is necessary to save my life or to prevent serious harm to my health.

I have been told about additional procedures which treatment. I have listed below any procedures which further discussion.	n I do not wish to be carried out without

Patient's signature	Date
Name (PRINT)	
A witness should sign below if the patient is unable consent. Young people/children may also like a par	[2] [1] [2] [2] [2] [3] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2
Signature	Date
Name (PRINT)	
Confirmation of consent (to be completed by a ladmitted for the procedure, if the patient has signed	[20] 하는 19일 시민 [20] 전 19일 전 19일 전 19일 전 12 대한 12 대한 12 전 12
On behalf of the team treating the patient, I have co further questions and wishes the procedure to go al	
Signed:	Date
Name (PRINT)	Job title
Important notes: (tick if applicable)	
See also advance directive/living will (eg Jehovah's	Witness form)

Patient has withdrawn consent (ask patient to sign /date here)

Patient agreement to investig	Special requirements
	(eg other language/other communication method)
	Responsible health professional
Name of proposed procedure	
(include brief explanation if medical ter Colonoscopy ± Polypectomy ± Biops	rm not clear)sy ± Thermal Coagulation
하는 사람들은 사람들이 가는 사람들이 가는 것이 없는 것이 되었다. 그 사람들이 가는 사람들이 가는 사람들이 가는 사람들이 가는 사람들이 되었다.	onal (to be filled in by health professional with ocedure, as specified in consent policy)
I have explained the procedure to the	patient. In particular, I have explained:
polypectomy is performed, the risk of bleeding about 1 in 50 to 1 in 100, a	about 1 in 800 and bleeding about 1 in 1500. If a configuration is about 1 in 600 but the risk of although this is usually mild. Sedation causes 00 cases although these are usually mild.
Any extra procedures which may beco	me necessary during the procedure
X blood transfusion	
X other procedure (please specify)	Operation (occasionally a temporary stoma)
	ure is likely to involve, the benefits and risks of any ing no treatment) and any particular concerns of this
#10.00000000000000000000000000000000000	al endoscopy leaflet has been provided
This procedure will involve: general and/or regional anaesthesia	local anaesthesia sedation
Signed: Name (PRINT) Guidance to health professionals is	Date
Contact details (if patient wishes to dis	cuss options later)
which I believe s/he can understand.	propriate) ve to the patient to the best of my ability and in a way in Date
Copy accepted by patient: ye	

Statement of patient

Please read this form carefully. If your treatment has been planned in advance, you should already have your own copy of page 1 and 2 which describes the benefits and risks of the proposed treatment. If not, you will be offered a copy now. If you have any further questions, do ask – we are here to help you. You have the right to change your mind at any time, including after you have signed this form.

I agree to the procedure or course of treatment described on this form.

I understand that you cannot give me a guarantee that a particular person will perform the procedure. The person will, however, have appropriate experience.

I understand that I will have the opportunity to discuss the details of anaesthesia with an anaesthetist before the procedure, unless the urgency of my situation prevents this. (This only applies to patients having general or regional anaesthesia.)

I understand that any procedure in addition to those described on this form will only be carried out if it is necessary to save my life or to prevent serious harm to my health.

I have been told about additional procedures whi treatment. I have listed below any procedures wh further discussion.	nich I do not wish to be carried out without
Patient's signature	Date
Name (PRINT)	
A witness should sign below if the patient is unab consent. Young people/children may also like a p	
Signature	Date
Name (PRINT)	
Confirmation of consent (to be completed by admitted for the procedure, if the patient has sign	
On behalf of the team treating the patient, I have further questions and wishes the procedure to go	f C. Carrie de Carriera de carriera en como en carriera en carriera de marca en como como como que carriera en
Signed:	Date
Name (PRINT)	Job title
Important notes: (tick if applicable)	
See also advance directive/living will (eg Jehoval Patient has withdrawn consent (ask patient to sig	. 하는 아트리얼 : 그리면 없었다. 아는 라틴 ' () 보고 1일 : 1 보고 1